



DUO XTR1000

Ultimate endurance with dual way illumination

DUO-XTR



Single latch to release tripod Deploy or fold in seconds.



LMXLED


AC	0-15,000LM Stepless Dimmable	
Battery (4 Mode)	Turbo	8,000LM
	Standard	5,000LM
	Balanced	3,000LM
	Eco	800LM



Brightness

7Lux

40m



* 'Brightness' represents the center point illuminance value of the lighting direction.

Emergency



Maintenance



Infrastructure



Mining



Railway



Sport



Event

490Lux



Construction









Ultra-Long Endurance

Just one battery pack can power more than 30 hours using extreme mode

1 to 3 Battery Packs Available







One Person Operation

Transportation, deployment & lighting adjustment; all you need is one operator and few seconds.







Dual handle & strap available, 10.5Kg.





OPTIONAL

ACCESSORIES

9 Bay Simultaneous Rapid Charger (LXC9)

Nine batteries can be charged at once resulting in several days off-grid operation.

Choice of driver for maximum output, or charger + backup batteries for cordless operation.

Cover all possibilities with a choice of Power Options.

Battery (LX241000)

Charger (LXC2)

Driver (LX17556BH)

Charger (LXC1)

LX1000 is not only the main light source but also allows USB output to charge the LXH1 headlight & LXF1 fashlight or your mobile devices.

Fully equipped for any challenges in the dark!

LXH1 Head Light

LXF1 Flash Light



SPECIFICATIONS


LX1000-XTR


Height	64.5cm~220cm
Weight	10Kg (Fitting only)
Power Supply	Battery / AC 100-277V
Lumens	0 - 15,000Lm
Run Times	>20 hours (Standard mode, D24-100)
Output(USB)	5V 2A (2 Dock)
Battery System	LX241000


Battery (LX241000))

Rated Power	98Wh
Rated Voltage	24.5V
Rated Capacity	4.0Ah
Working Temperture	-10~50°C
Working Humidity	1~98%

Size (mm)







LMXLED LTI



UNIT 8 PARK PLACE NEWDIGATE ROAD HAREFIELD MIDDX UB9 6EJ



01895 348 835

info@lmxled.co.uk